

AUTHOR INDEX

VOLUME 23 (2011)

Aijuan, N., <i>see</i> Xinwu, X.	6 (2011) 519–526
Basak, A., <i>see</i> Thakur, G.	2 (2011) 113–118
Beulah, P., <i>see</i> Sivarasu, S.	1 (2011) 37–43
Chan, C.-T., <i>see</i> Chu, W.	6 (2011) 435–444
Chan, C.-Y., <i>see</i> Tsai, C.-C.	4 (2011) 261–271
Chang, C.-C., <i>see</i> Chen, C.-Y.	4 (2011) 273–278
Chang, C.-F., <i>see</i> Ning, Y.-L.	1 (2011) 75–82
Chang, C.-F., Wang, T.-M., Lo, W.-C., Lu, T.-W., Hong, S.-W., Huang, C.-H., Shieh, J.-Y. and Huang, S.-C., Balance control during level walking in children with spastic diplegic cerebral palsy	6 (2011) 509–517
Chang, K.-C., Li, C.-Y., Hsu, C.-K. and Kuo, M.-S., Synthesis and properties of Fe-modified calcium-deficient hydroxyapatite nanocrystal for MRI contrast agent	5 (2011) 393–401
Chang, S. J., <i>see</i> Lan, C.-W.	1 (2011) 51–62
Chang, T.-C., <i>see</i> Shaw, F.-Z.	6 (2011) 501–508
Chang, T.-M., <i>see</i> Leung, T.-K.	2 (2011) 99–105
Chang, Y.-C., <i>see</i> Lee, C.-Y.	6 (2011) 427–433
Chen, C.-C., <i>see</i> Lee, R.-G.	3 (2011) 163–172
Chen, C.-M., <i>see</i> Lee, C.-Y.	6 (2011) 427–433
Chen, C.-P. and Jaw, F.-S., Nociceptive responses of the lateral thalamic nucleus evoked by pinch in anesthetized rats	5 (2011) 377–382
Chen, C.-Y., <i>see</i> Tsai, M.-J.	6 (2011) 493–500
Chen, C.-Y., Chang, C.-C., Yu, C., Yang, S.-Y. and Lin, C.-W., Immunomagnetic reduction for fetal fibronectin detection — a novel method to detect the preterm biomarker	4 (2011) 273–278
Chen, D.-C., <i>see</i> Leung, T.-K.	2 (2011) 99–105
Chen, H.-C., <i>see</i> Chou, P.-H.	1 (2011) 21–28
Chen, J.-Y., <i>see</i> Leung, T.-K.	2 (2011) 99–105
Chen, L.-S., <i>see</i> Tsai, C.-C.	4 (2011) 261–271
Chen, P.-C., <i>see</i> Hsiao, C.-C.	3 (2011) 237–244
Chen, R.-S., <i>see</i> Hung, C.-S.	4 (2011) 307–317
Chen, S.-K., <i>see</i> Chou, P.-H.	1 (2011) 21–28
Chen, T.-H., <i>see</i> Huang, Y.-C.	3 (2011) 223–230
Chen, W.-C., Wei, Y.-H., Huang, J.-B., Chu, I.-M. and Yao, C.-L., Biological effects of oligosaccharide chondroitin sulfate C on human articular chondrocytes	3 (2011) 245–252
Chen, Y.-F., <i>see</i> Cheng, D.-C.	5 (2011) 357–367
Chen, Y.-L., Chiang, C.-Y., Yu, C.-W., Yuan, S.-M. and Hong, Z.-W., A customized and portable component-based framework for intelligent homecare system design with video and physiological monitoring machineries	5 (2011) 325–348
Chen, Y.-S., <i>see</i> Huang, T.-L.	1 (2011) 13–20
Chen, Y.-S., <i>see</i> Tsai, C.-C.	4 (2011) 261–271
Cheng, C.-P., <i>see</i> Fan, J.-H.	2 (2011) 141–152
Cheng, D.-C., <i>see</i> Liu, S.-H.	5 (2011) 349–356

- Cheng, D.-C., Ting, W.-C., Chen, Y.-F. and Jiang, X., Automatic detection of colorectal polyps in static images 5 (2011) 357–367
- Cheng, H., *see* Huang, Y.-C. 3 (2011) 223–230
- Chiang, C.-Y., *see* Chen, Y.-L. 5 (2011) 325–348
- Chien, Y.-H., *see* Peng, S. S.-F. 3 (2011) 205–213
- Chiu, L.-H., *see* Hsieh, C.-H. 1 (2011) 29–35
- Chiu, M.-J., *see* Hsu, J.-L. 4 (2011) 287–293
- Cho, S. J., *see* Jo, E. H. 2 (2011) 119–126
- Chou, P.-H., Lou, S.-Z., Chen, S.-K., Chen, H.-C., Hsu, H.-H. and Chou, Y.-L., Comparative analysis of elbow joint loading in push-up and bench-press 1 (2011) 21–28
- Chou, W.-Y. and Tsai, M.-J., Flexible wireless module for electrocardiogram monitoring 4 (2011) 319–324
- Chou, Y.-L., *see* Chou, P.-H. 1 (2011) 21–28
- Chu, I.-M., *see* Chen, W.-C. 3 (2011) 245–252
- Chu, W., Lin, J.-H., Tang, S.-T., Chu, W.-C., Young, S.-T. and Chan, C.-T., A rapid and convenient method for determining limb compartment pressure 6 (2011) 435–444
- Chu, W.-C., *see* Chu, W. 6 (2011) 435–444
- Chuang, C.-C., *see* Lee, C.-Y. 6 (2011) 427–433
- Chung, R.-J., Study of hydroxyapatite nano composites with photoluminescence properties 2 (2011) 107–112
- Dabiri, Y., Najarian, S., Eslami, M. R., Zahedi, S., Moser, D. and Shirzad, E., A computer simulation of the effect of muscle loss on hip joint effort during the stance phase of transfemoral amputee gait 5 (2011) 369–376
- Dong, H.-S., Zhang, A.-H. and Hao, X.-H., The hilbert marginal spectrum analysis and feature extraction of short-term heart rate signal of spontaneous ventricular tachyarrhythmia 6 (2011) 467–478
- Esfandiarpour, F., *see* Eslami, A. 6 (2011) 445–456
- Eslami, A., Esfandiarpour, F., Shakourirad, A. and Farahmand, F., A multiscale phase field method for joint segmentation-rigid registration — application to motion estimation of human knee joint 6 (2011) 445–456
- Eslami, M. R., *see* Dabiri, Y. 5 (2011) 369–376
- Fan, J.-H., Li, W.-T., Hung, W.-I., Cheng, C.-P. and Yeh, J.-M., Cytotoxicity and differentiation effects of gold nanoparticles to human bone marrow mesenchymal stem cells 2 (2011) 141–152
- Farahmand, F., *see* Soudbakhsh, D. 3 (2011) 181–192
- Farahmand, F., *see* Eslami, A. 6 (2011) 445–456
- Feng, T., *see* Xinwu, X. 6 (2011) 519–526
- Gaofeng, W., *see* Xinwu, X. 6 (2011) 519–526
- Han, F., *see* Yan, H. 3 (2011) 231–236
- Han, S.-I., *see* Liu, H.-L. 2 (2011) 89–97
- Hao, X.-H., *see* Dong, H.-S. 6 (2011) 467–478
- Hassani, K., *see* Shabestari, R. M. 4 (2011) 295–305
- He, W., *see* Xiao, H. 5 (2011) 419–426
- Ho, C.-K., *see* Leung, T.-K. 2 (2011) 99–105
- Ho, Y.-H., *see* Hung, C.-S. 4 (2011) 307–317
- Hong, S.-W., *see* Kuo, C.-C. 1 (2011) 83–87
- Hong, S.-W., *see* Kuo, M.-Y. 4 (2011) 279–285
- Hong, S.-W., *see* Chang, C.-F. 6 (2011) 509–517
- Hong, Z.-W., *see* Chen, Y.-L. 5 (2011) 325–348
- Hou, M.-J. and Shih, C.-J., *In vitro* osteo inductive characterization of nano-grade pearl powders 2 (2011) 135–140
- Hsieh, F.-H., *see* Ning, Y.-L. 1 (2011) 75–82
- Hsiao, C.-C., *see* Lee, R.-G. 4 (2011) 253–260
- Hsiao, C.-C., *see* Lee, R.-G. 3 (2011) 163–172

- Hsiao, C.-C., Chen, P.-C., Pan, H.-B. and Jao, J.-C., Optimal concentrations of gadovist in T₁-weighted magnetic resonance imaging: phantom study and computer simulation 3 (2011) 237–244
- Hsiao, S.-Y., *see* Leung, T.-K. 2 (2011) 99–105
- Hsieh, C.-H., Ku, Y.-A., Chiu, L.-H., Young, T.-H. and Huang, Y.-Y., A transdermal drug delivery system containing deferioxamine mesylate for the treatment of beta-thalassaemia major 1 (2011) 29–35
- Hsieh, H.-Y., *see* Lee, C.-Y. 6 (2011) 427–433
- Hsieh, L.-C., *see* Hung, C.-S. 4 (2011) 307–317
- Hsieh, M. H., *see* Hsu, J.-L. 4 (2011) 287–293
- Hsu, C.-K., *see* Chang, K.-C. 5 (2011) 393–401
- Hsu, H.-C., *see* Huang, T.-L. 1 (2011) 13–20
- Hsu, H.-C., *see* Kuo, C.-C. 1 (2011) 83–87
- Hsu, H.-C., *see* Kuo, M.-Y. 4 (2011) 279–285
- Hsu, H.-H., *see* Chou, P.-H. 1 (2011) 21–28
- Hsu, J.-L., Hsieh, M. H., Tseng, Y.-L., Chiu, M.-J., Liu, C.-M., Jaw, F.-S. and Hwu, H.-G., Time-frequency analysis of mismatch negativity in schizophrenia patients in Taiwan 4 (2011) 287–293
- Hsu, S.-H., *see* Huang, Y.-C. 3 (2011) 223–230
- Huang, C.-C., *see* Shaw, F.-Z. 6 (2011) 501–508
- Huang, C.-H., *see* Chang, C.-F. 6 (2011) 509–517
- Huang, C.-H., *see* Ning, Y.-L. 1 (2011) 75–82
- Huang, C.-S., *see* Lee, C.-Y. 6 (2011) 427–433
- Huang, J.-B., *see* Chen, W.-C. 3 (2011) 245–252
- Huang, S.-C., *see* Lo, Y.-C. 3 (2011) 215–222
- Huang, S.-C., *see* Chang, C.-F. 6 (2011) 509–517
- Huang, T.-L., Hsu, H.-C., Yao, C.-H., Chen, Y.-S. and Wang, J., Anti-inflammatory and structure protective effects of hyaluronans: are these effects molecular weight dependent? 1 (2011) 13–20
- Huang, Y.-C., Chen, T.-H., Kuo, W.-C., Hsu, S.-H., Huang, Y.-Y. and Cheng, H., Multimodal nonlinear optical imaging of cell–matrix interaction during spinal cord injury *ex vivo* 3 (2011) 223–230
- Huang, Y.-Y., *see* Huang, Y.-C. 3 (2011) 223–230
- Huang, Y.-Y., *see* Hsieh, C.-H. 1 (2011) 29–35
- Hung, C.-S., Hsieh, L.-C., Chen, R.-S., Wu, H.-W. and Ho, Y.-H., Configuration set to motion simulation for backhand stroke of tennis 4 (2011) 307–317
- Hung, W.-I., *see* Fan, J.-H. 2 (2011) 141–152
- Hwu, H.-G., *see* Hsu, J.-L. 4 (2011) 287–293
- Hwu, W.-L., *see* Peng, S. S.-F. 3 (2011) 205–213
- Izadi, F., *see* Shabestari, R. M. 4 (2011) 295–305
- Jain, V., *see* Siddalingaswamy, P. C. 3 (2011) 173–179
- Jao, J.-C., *see* Hsiao, C.-C. 3 (2011) 237–244
- Jaw, F.-S., *see* Lo, Y.-C. 3 (2011) 215–222
- Jaw, F.-S., *see* Hsu, J.-L. 4 (2011) 287–293
- Jaw, F.-S., *see* Chen, C.-P. 5 (2011) 377–382
- Jaw, F.-S., *see* Wang, S.-J. 6 (2011) 527–532
- Jia, X.-L., *see* Rao, J.-W. 1 (2011) 1–12
- Jiang, X., *see* Cheng, D.-C. 5 (2011) 357–367
- Jo, E. H., Lee, G. Y., Cho, S. J., Yoo, H., Kim, O. Y., Seong, K., Kang, Y. S., Lee, D. and Khang, G., Attachment and proliferation of retinal pigment epithelial cells on small intestine submucosa powder impregnated poly(l-lactide-co-glycolide) film 2 (2011) 119–126
- Kang, Y. S., *see* Jo, E. H. 2 (2011) 119–126
- Kao, C.-Y., *see* Lee, R.-G. 4 (2011) 253–260
- Khang, G., *see* Jo, E. H. 2 (2011) 119–126

- Kim, O. Y., *see* Jo, E. H. 2 (2011) 119–126
- Kim, T.-H., *see* Liu, H.-L. 2 (2011) 89–97
- Ku, Y.-A., *see* Hsieh, C.-H. 1 (2011) 29–35
- Kumar, G. P. and Mathew, L., Fatigue and durability of a novel percutaneous aortic valve stent 1 (2011) 45–49
- Kumar, G. P. and Mathew, L., Flow patterns and hemodynamic efficacy analysis in a novel percutaneous stented aortic valve 1 (2011) 63–74
- Kun-Hung, C., *see* Tsung, L. H. 2 (2011) 127–133
- Kuo, C.-C., Hsu, H.-C., Hong, S.-W. and Lu, T.-W., Biomechanical assessment of tension-band wiring for olecranon fractures 1 (2011) 83–87
- Kuo, M.-S., *see* Chang, K.-C. 5 (2011) 393–401
- Kuo, M.-Y., Lin, C.-C., Hong, S.-W., Tsai, T.-Y., Hsu, H.-C. and Lu, T.-W., *In vivo* three-dimensional kinematics of total knee replacements during open and closed kinetic chain activities 4 (2011) 279–285
- Kuo, S. M., *see* Lan, C.-W. 1 (2011) 51–62
- Kuo, W.-C., *see* Huang, Y.-C. 3 (2011) 223–230
- Lan, C.-W., Niu, G. C.-C., Chang, S. J., Yao, C.-H. and Kuo, S. M., Chitosan in applications of biomedical devices 1 (2011) 51–62
- Lee, C.-Y., *see* Lee, C.-Y. 6 (2011) 427–433
- Lee, C.-Y., Chuang, C.-C., Hsieh, H.-Y., Lee, W.-R., Lee, C.-Y., Shih, S.-R., Lee, S.-C., Huang, C.-S., Chang, Y.-C. and Chen, C.-M., Evaluation of dual-spectrum ir spectrogram system on invasive ductal carcinoma (IDC) breast cancer 6 (2011) 427–433
- Lee, D., *see* Jo, E. H. 2 (2011) 119–126
- Lee, G. Y., *see* Jo, E. H. 2 (2011) 119–126
- Lee, H.-C., *see* Tsai, C.-C. 4 (2011) 261–271
- Lee, R.-G., Chen, C.-C., Hsiao, C.-C., Wang, H.-W. and Wei, M.-S., Sleep apnea syndrome recognition using the greyART network 3 (2011) 163–172
- Lee, R.-G., Hsiao, C.-C. and Kao, C.-Y., Using different entropies to analyze the heart rate variability of congestive heart failure patients 4 (2011) 253–260
- Lee, S.-C., *see* Lee, C.-Y. 6 (2011) 427–433
- Lee, W.-R., *see* Lee, C.-Y. 6 (2011) 427–433
- Leu, F.-J., *see* Shaw, F.-Z. 6 (2011) 501–508
- Leung, T.-K., Shang, H.-F., Chen, D.-C., Chen, J.-Y., Chang, T.-M., Hsiao, S.-Y., Ho, C.-K. and Lin, Y.-S., Effects of far infrared rays on hydrogen peroxide-scavenging capacity 2 (2011) 99–105
- Li, C.-Y., *see* Chang, K.-C. 5 (2011) 393–401
- Li, J.-D., *see* Ning, Y.-L. 1 (2011) 75–82
- Li, S., *see* Xiao, H. 5 (2011) 419–426
- Li, W.-T., *see* Fan, J.-H. 2 (2011) 141–152
- Li, X., Wang, J. and Yao, C., Silicone hydrogels with interpenetrating network structure prepared by simultaneous free-radical/cationic hybrid polymerizations 2 (2011) 153–162
- Lin, C.-C., *see* Kuo, M.-Y. 4 (2011) 279–285
- Lin, C.-W., *see* Chen, C.-Y. 4 (2011) 273–278
- Lin, H., *see* Xiao, H. 5 (2011) 419–426
- Lin, J., *see* Yan, H. 3 (2011) 231–236
- Lin, J.-H., *see* Chu, W. 6 (2011) 435–444
- Lin, Y.-S., *see* Leung, T.-K. 2 (2011) 99–105
- Liu, C.-M., *see* Hsu, J.-L. 4 (2011) 287–293
- Liu, H.-L., Han, S.-I., Kim, T.-H. and Shin, Y.-S., Computer-based detection of apoptotic cell morphology 2 (2011) 89–97
- Liu, H.-M., *see* Peng, S. S.-F. 3 (2011) 205–213

- Liu, S.-H., Cheng, D.-C. and Wang, J.-J., Estimating the mean blood flow of arm based on windkessel model 5 (2011) 349–356
- Lo, W.-C., *see* Ning, Y.-L. 1 (2011) 75–82
- Lo, W.-C., *see* Chang, C.-F. 6 (2011) 509–517
- Lo, Y.-C., Jaw, F.-S., Huang, S.-C., Yeh, Y.-Y. and Tseng, W.-Y. I., White matter tracts in fronto-striato-thalamic circuit in the human brain: a diffusion spectrum imaging study 3 (2011) 215–222
- Lou, S.-Z., *see* Chou, P.-H. 1 (2011) 21–28
- Lu, T.-W., *see* Ning, Y.-L. 1 (2011) 75–82
- Lu, T.-W., *see* Kuo, C.-C. 1 (2011) 83–87
- Lu, T.-W., *see* Kuo, M.-Y. 4 (2011) 279–285
- Lu, T.-W., *see* Chang, C.-F. 6 (2011) 509–517
- Mase, A., *see* Zhang, D. 5 (2011) 383–391
- Mathew, L., *see* Sivarasu, S. 1 (2011) 37–43
- Mathew, L., *see* Kumar, G. P. 1 (2011) 45–49
- Mathew, L., *see* Kumar, G. P. 1 (2011) 63–74
- Mitra, A., *see* Thakur, G. 2 (2011) 113–118
- Moser, D., *see* Dabiri, Y. 5 (2011) 369–376
- Munih, M., *see* Podobnik, J. 6 (2011) 457–466
- Najararian, S., *see* Dabiri, Y. 5 (2011) 369–376
- Nie, F.-Y., *see* Pan, M.-S. 6 (2011) 479–491
- Ning, Y.-L., Li, J.-D., Lo, W.-C., Huang, C.-H., Chang, C.-F., Hsieh, F.-H. and Lu, T.-W., Patterns and consistency of muscle recruitment for a karate jab 1 (2011) 75–82
- Niu, G. C.-C., *see* Lan, C.-W. 1 (2011) 51–62
- Novak, D., *see* Podobnik, J. 6 (2011) 457–466
- Ouyang, L.-Q., *see* Rao, J.-W. 1 (2011) 1–12
- Pan, H.-B., *see* Hsiao, C.-C. 3 (2011) 237–244
- Pan, M.-S., Zhang, F., Rong, Q.-S., Zhou, H.-C. and Nie, F.-Y., Research on robustness of the mutual information similarity metric for registration of medical images 6 (2011) 479–491
- Parnianpour, M., *see* Soudbakhsh, D. 3 (2011) 181–192
- Peng, L., *see* Rao, J. 5 (2011) 403–417
- Peng, S. S.-F., Chien, Y.-H., Hwu, W.-L., Liu, H.-M. and Tseng, I. W.-Y., Cerebral diffusion tensor images in infants and neonates with infantile onset pompe disease 3 (2011) 205–213
- Ping, C. J., *see* Tsung, L. H. 2 (2011) 127–133
- Podobnik, J., Novak, D. and Munih, M., Grasp coordination in virtual environments for robot-aided upper extremity rehabilitation 6 (2011) 457–466
- Prabhu, G. K., *see* Siddalingaswamy, P. C. 3 (2011) 173–179
- Qiu, J., *see* Wang, Q. 3 (2011) 193–203
- Qiuming, S., *see* Xinwu, X. 6 (2011) 519–526
- Quan, D., *see* Rao, J. 5 (2011) 403–417
- Quan, D.-P., *see* Rao, J.-W. 1 (2011) 1–12
- Rao, J., Quan, D., Peng, L., Xie, G. and Xu, Y., The fabrication and characterization of linearly oriented lamellar-like multiple-channel silk fibroin nerve conduits 5 (2011) 403–417
- Rao, J.-W., Ouyang, L.-Q., Jia, X.-L., Quan, D.-P. and Xu, Y.-B., The fabrication and characterization of 3D porous sericin/fibroin blended scaffolds 1 (2011) 1–12
- Rong, Q.-S., *see* Pan, M.-S. 6 (2011) 479–491
- Rui, L., *see* Xinwu, X. 6 (2011) 519–526
- Sahraei, E., *see* Soudbakhsh, D. 3 (2011) 181–192
- Seong, K., *see* Jo, E. H. 2 (2011) 119–126
- Shabestari, R. M., Hassani, K. and Izadi, F., Modeling of abdominal aorta aneurysm and study of the pathology using computational fluid dynamics method 4 (2011) 295–305
- Shakourirad, A., *see* Eslami, A. 6 (2011) 445–456

- Shang, H.-F., *see* Leung, T.-K. 2 (2011) 99–105
- Shaw, F.-Z., Yang, T.-F., Huang, C.-C., Yeh, K.-H., Chang, T.-C. and Leu, F.-J.,
Multichannel planar microelectrode array for somatic mapping in rats 6 (2011) 501–508
- Shieh, J.-Y., *see* Chang, C.-F. 6 (2011) 509–517
- Shih, C.-J., *see* Hou, M.-J. 2 (2011) 135–140
- Shih, S.-R., *see* Lee, C.-Y. 6 (2011) 427–433
- Shin, Y.-S., *see* Liu, H.-L. 2 (2011) 89–97
- Shirin, M. B., *see* Soudbakhsh, D. 3 (2011) 181–192
- Shirzad, E., *see* Dabiri, Y. 5 (2011) 369–376
- Siddalingaswamy, P. C., Prabhu, G. K. and Jain, V., Automatic detection and grading of
severity level in exudative maculopathy 3 (2011) 173–179
- Sivarasu, S., Beulah, P. and Mathew, L., Light weight femoral stem optimization based on
design and materials 1 (2011) 37–43
- Soudbakhsh, D., Sahraei, E., Shirin, M. B., Farahmand, F., Tahmasebi, M. N. and
Parnianpour, M., Diagnosing anterior cruciate ligament injuries using a knee arthrometer:
design, fabrication, and clinical evaluation 3 (2011) 181–192
- Tahmasebi, M. N., *see* Soudbakhsh, D. 3 (2011) 181–192
- Tan, L., *see* Wang, Q. 3 (2011) 193–203
- Tang, S.-T., *see* Chu, W. 6 (2011) 435–444
- Thakur, G., Mitra, A. and Basak, A., Genipin crosslinked drug–gelatin composite for drug
transport and cytocompatibility 2 (2011) 113–118
- Ting, W.-C., *see* Cheng, D.-C. 5 (2011) 357–367
- Tsai, C.-C., Chen, L.-S., Chan, C.-Y., Tsai, F.-J., Yao, C.-H., Lee, H.-C. and Chen, Y.-S.,
Morphological and neurochemical assessment of regenerated peripheral nerves in bridging
conduits 4 (2011) 261–271
- Tsai, F.-J., *see* Tsai, C.-C. 4 (2011) 261–271
- Tsai, M.-J., *see* Chou, W.-Y. 4 (2011) 319–324
- Tsai, M.-J., Wu, C.-T. and Chen, C.-Y., Custom-made brackets fabrication by an additive
manufacturing process for orthodontic treatment 6 (2011) 493–500
- Tsai, T.-Y., *see* Kuo, M.-Y. 4 (2011) 279–285
- Tseng, I. W.-Y., *see* Peng, S. S.-F. 3 (2011) 205–213
- Tseng, W.-Y. I., *see* Lo, Y.-C. 3 (2011) 215–222
- Tseng, Y.-L., *see* Hsu, J.-L. 4 (2011) 287–293
- Tsung, L. H., Kun-Hung, C. and Ping, C. J., Osteogenesis of adipose-derived stem cells on
three-dimensional, macroporous gelatin–hyaluronic acid cryogels 2 (2011) 127–133
- Wang, H.-W., *see* Lee, R.-G. 3 (2011) 163–172
- Wang, J., *see* Huang, T.-L. 1 (2011) 13–20
- Wang, J., *see* Li, X. 2 (2011) 153–162
- Wang, J.-J., *see* Liu, S.-H. 5 (2011) 349–356
- Wang, Q., Tan, L., Zhang, Q., Qiu, J. and Yang, K., Precipitation control and mechanical
property of calcium phosphate–coated AZ31B alloy for biomedical application 3 (2011) 193–203
- Wang, S.-J., Jaw, F.-S. and Young, Y.-H., Vestibular afferents population activated by
various modes for eliciting ocular and cervical vestibular-evoked myogenic potentials 6 (2011) 527–532
- Wang, T.-M., *see* Chang, C.-F. 6 (2011) 509–517
- Wei, M.-S., *see* Lee, R.-G. 3 (2011) 163–172
- Wei, X., *see* Yan, H. 3 (2011) 231–236
- Wei, Y.-H., *see* Chen, W.-C. 3 (2011) 245–252
- Wu, C.-T., *see* Tsai, M.-J. 6 (2011) 493–500
- Wu, H.-W., *see* Hung, C.-S. 4 (2011) 307–317
- Xiao, H., He, W., Li, S., Yu, C. and Lin, H., A labview-based multi-parameter measuring
system of artery stiffness and clinical study 5 (2011) 419–426

- Xiaoli, Q., *see* Xinwu, X. 6 (2011) 519–526
- Xie, G., *see* Rao, J. 5 (2011) 403–417
- Xinwu, X., Gaofeng, W., Rui, L., Qiuming, S., Aijuan, N., Xiaoli, Q. and Feng, T.,
A novel method to simulate force-chest displacement relationship during
cardiopulmonary resuscitation 6 (2011) 519–526
- Xu, Y.-B., *see* Rao, J.-W. 1 (2011) 1–12
- Xu, Y., *see* Rao, J. 5 (2011) 403–417
- Yan, H., Wei, X., Han, F. and Lin, J., Monitoring the impact of general anesthesia
induction and endotracheal intubations on cardiac performance by phonocardiogram 3 (2011) 231–236
- Yang, K., *see* Wang, Q. 3 (2011) 193–203
- Yang, S.-Y., *see* Chen, C.-Y. 4 (2011) 273–278
- Yang, T.-F., *see* Shaw, F.-Z. 6 (2011) 501–508
- Yao, C.-H., *see* Huang, T.-L. 1 (2011) 13–20
- Yao, C.-H., *see* Lan, C.-W. 1 (2011) 51–62
- Yao, C.-H., *see* Tsai, C.-C. 4 (2011) 261–271
- Yao, C.-L., *see* Chen, W.-C. 3 (2011) 245–252
- Yao, C., *see* Li, X. 2 (2011) 153–162
- Yeh, J.-M., *see* Fan, J.-H. 2 (2011) 141–152
- Yeh, K.-H., *see* Shaw, F.-Z. 6 (2011) 501–508
- Yeh, Y.-Y., *see* Lo, Y.-C. 3 (2011) 215–222
- Yoo, H., *see* Jo, E. H. 2 (2011) 119–126
- Young, S.-T., *see* Chu, W. 6 (2011) 435–444
- Young, T.-H., *see* Hsieh, C.-H. 1 (2011) 29–35
- Young, Y.-H., *see* Wang, S.-J. 6 (2011) 527–532
- Yuan, S.-M., *see* Chen, Y.-L. 5 (2011) 325–348
- Yu, C., *see* Chen, C.-Y. 4 (2011) 273–278
- Yu, C., *see* Xiao, H. 5 (2011) 419–426
- Yu, C.-W., *see* Chen, Y.-L. 5 (2011) 325–348
- Zahedi, S., *see* Dabiri, Y. 5 (2011) 369–376
- Zhang, A.-H., *see* Dong, H.-S. 6 (2011) 467–478
- Zhang, D. and Mase, A., Experimental study on radar-based breast cancer detection using
UWB antennas without background subtraction 5 (2011) 383–391
- Zhang, F., *see* Pan, M.-S. 6 (2011) 479–491
- Zhang, Q., *see* Wang, Q. 3 (2011) 193–203
- Zhou, H.-C., *see* Pan, M.-S. 6 (2011) 479–491