

AUTHOR INDEX
Volume 20

- Abadía, *see* Hupont, I. **20** (2011) 639–661
- Albalate, A., Suendermann, D. and Minker, W., On cluster validation for detecting the number of clusters in a data set **20** (2011) 941–953
- Alonso-Nanclares, L., *see* Morales, J. **20** (2011) 239–252
- Anagnostou, M., *see* Roussaki, I. **20** (2011) 457–487
- Ansuategui, A., Iburguren, A., Martínez-Otzeta, J. M., Tubío, C. and Lazkano, E., Particle filtering for people following behavior using laser scans and stereo vision **20** (2011) 313–326
- Argente, E., *see* Esparcia, S. **20** (2011) 663–690
- Athanaselis, T., Mamouras, K., Bakamidis, S. and Dologlou, I., A corpus based technique for repairing ill-formed sentences with word order errors using co-occurrences of N-grams **20** (2011) 401–424
- Bădică, C. and Bassiliades, N., Guest editorial **20** (2011) 981–984
- Bakamidis, S., *see* Athanaselis, T. **20** (2011) 401–424
- Baldassarri, S., *see* Hupont, I. **20** (2011) 639–661
- Bandara, D. C., *see* Batuwita, R. **20** (2011) 425–455
- Bassiliades, N., *see* Bădică, C. **20** (2011) 981–984
- Batuwita, R., Palade, V. and Bandara, D. C., A customizable fuzzy system for offline handwritten character recognition **20** (2011) 425–455
- Bebis, G., *see* Patten, T. **20** (2011) 511–530
- Blažević, D., *see* Jović, F. **20** (2011) 887–909
- Boley, H., *see* Paschke, A. **20** (2011) 1043–1081
- Bosse, T., Memon, Z. A., Oorburg, R., Treur, J., Umair, M. and de Vos, M., A software environment for an adaptive human-aware software agent supporting attention-demanding tasks **20** (2011) 819–846
- Botía, J., *see* Martínez-Carreras, M. A. **20** (2011) 195–207
- Braubach, L., *see* Jander, K. **20** (2011) 1021–1041
- Bridge, D., *see* Trabelsi, W. **20** (2011) 591–616
- Centeno, R., *see* Esparcia, S. **20** (2011) 663–690
- Cerezo, E., *see* Hupont, I. **20** (2011) 639–661
- Chang, N. W., *see* Chen, R. M. **20** (2011) 179–194
- Chen, J., Lin, Q. and Shen, L., An immune-inspired evolution strategy for constrained optimization problems **20** (2011) 549–561

- Chen, K., Makki, K. and Pissinou, N., Machine learning on congestion analysis based real-time navigation system 20 (2011) 753–781
- Chen, R. M., Hou, M. T., Chang, N. W., Chen, Y. T. and Jeffrey Tsai, J. P., Cumulative spectral repeat finder (CSRFF): A spectral approach for identifying the length of repeats in DNA sequences 20 (2011) 179–194
- Chen, Y. T., *see* Chen, R. M. 20 (2011) 179–194
- Choi, H., *see* Kim, K. 20 (2011) 349–366
- Cruz, F., *see* Ortega, F. J. 20 (2011) 955–967
- Davidovsky, M., Ermolayev, V. and Tolok, V., Instance migration between ontologies having structural differences 20 (2011) 1127–1156
- de Mello, R. F., *see* Pereira, C. M. M. 20 (2011) 969–980
- de Vos, M., *see* Bosse, T. 20 (2011) 819–846
- DeFelipe, J., *see* Morales, J. 20 (2011) 239–252
- Del-Hoyo, R., *see* Hupont, I. 20 (2011) 639–661
- Djaanfar, A. S., *see* Frikh, B. 20 (2011) 1157–1170
- Dologlou, I., *see* Athanaselis, T. 20 (2011) 401–424
- Dubois, D., *see* Ma, J. 20 (2011) 691–720
- Éric Grégoire, Foreword 20 (2011) 589–590
- Ermolayev, V., *see* Davidovsky, M. 20 (2011) 1127–1156
- Esparcia, S., Argente, E., Centeno, R. and Hermoso, R., Enhancing MAS environments with organizational mechanisms 20 (2011) 663–690
- Fakotakis, N., *see* Ntalampiras, S. 20 (2011) 119–137
- Felfernig, A., *see* Schubert, M. 20 (2011) 297–312
- Fernández, N., Fisteus, J. A., Fuentes, D., Sánchez, L. and Luque, V., A Wikipedia-based framework for collaborative semantic annotation 20 (2011) 847–886
- Fisteus, J. A., *see* Fernández, N. 20 (2011) 847–886
- Florea, A. M., *see* Urzică, A. 20 (2011) 1001–1020
- Frikh, B., Djaanfar, A. S. and Ouhbi, B., A new methodology for domain ontology construction from the web 20 (2011) 1157–1170
- Fuentes, D., *see* Fernández, N. 20 (2011) 847–886
- Fyfe, C., *see* García-Osorio, C. 20 (2011) 237–238
- Galán, F. J., *see* Ortega, F. J. 20 (2011) 955–967
- García, J., *see* Guerrero, J. L. 20 (2011) 367–399
- García-Fornes, A., *see* Sánchez-Anguix, V. 20 (2011) 271–295
- García-Osorio, C., Fyfe, C., García-Pedrajas, N. and Herrera, F., Guest editorial 20 (2011) 237–238
- García-Pedrajas, N., *see* García-Osorio, C. 20 (2011) 237–238
- Gómez-Skarmeta, A. F., *see* Martínez-Carreras, M. A. 20 (2011) 195–207
- Gratie, C., *see* Olaru, A. 20 (2011) 985–1000
- Grygorash, O., *see* Zhou, Y. 20 (2011) 139–177
- Guerrero, J. L., García, J. and Molina, J. M., Piecewise linear representation segmentation in noisy domains with a large number of measurements: The air traffic control domain 20 (2011) 367–399
- Hain, T. F., *see* Zhou, Y. 20 (2011) 139–177

- Hamdan, M., A dynamic polynomial mutation for evolutionary multi-objective optimization algorithms 20 (2011) 209–219
- Helli, B. and Moghaddam, M. E., An off-line text-independent persian writer identification method 20 (2011) 489–509
- Hermoso, R., *see* Esparcia, S. 20 (2011) 663–690
- Herrera, F., *see* García-Osorio, C. 20 (2011) 237–238
- Hoonakker, F., Lachiche, N., Varnek, A. and Wagner, A., A representation to apply usual data mining techniques to chemical reactions — Illustration on the rate constant of S_N2 reactions in water 20 (2011) 253–270
- Hou, M. T., *see* Chen, R. M. 20 (2011) 179–194
- Hou, W.-J. and Tsao, J.-H., Automatic assessment of students’ free-text answers with different levels 20 (2011) 327–347
- Huang, M. L., Hung, Y. H. and Lin, E. J., Effects of SVM parameter optimization based on the parameter design of Taguchi method 20 (2011) 563–575
- Hung, Y. H., *see* Huang, M. L. 20 (2011) 563–575
- Hupont, I., Abadía, D., Baldassarri, S., Cerezo, E. and Del-Hoyo, R., T-EDUCO: A T-learning tutoring tool that cares 20 (2011) 639–661
- Hussain, M., *see* Patten, T. 20 (2011) 511–530
- Ibarguren, A., *see* Ansuategui, A. 20 (2011) 313–326
- Jander, K., Braubach, L., Pokahr, A., Lamersdorf, W. and Wack, K.-J., Goal-oriented processes with GPMN 20 (2011) 1021–1041
- Jeffrey Tsai, J. P., *see* Chen, R. M. 20 (2011) 179–194
- Jović, F., Slavek, N. and Blažević, D., Reinforcement learning in non-Markov conservative environment using an inductive qualitative model 20 (2011) 887–909
- Kaczor, K., *see* Nalepa, G. J. 20 (2011) 1107–1125
- Kalamboukis, T., *see* Kyriakopoulou, A. 20 (2011) 531–548
- Kalles, D., Papagelis, A. and Stamatou, Y. C., Consolidating a heuristic for incremental decision tree learning through asymptotic analysis 20 (2011) 29–52
- Kamermans, M., *see* Penders, A. 20 (2011) 1083–1106
- Kim, K., Choi, H. and McKay, R., An integrated framework for suspect investigation 20 (2011) 349–366
- Kou, Y., *see* Lu, C.-T. 20 (2011) 721–751
- Kyriakopoulou, A. and Kalamboukis, T., Clustering as a prior step to classification: An empirical study 20 (2011) 531–548
- Lachiche, N., *see* Hoonakker, F. 20 (2011) 253–270
- Lamersdorf, W., *see* Jander, K. 20 (2011) 1021–1041
- Lazkano, E., *see* Ansuategui, A. 20 (2011) 313–326
- Li, W., *see* Patten, T. 20 (2011) 511–530
- Ligeża, A., *see* Nalepa, G. J. 20 (2011) 1107–1125
- Lin, E. J., *see* Huang, M. L. 20 (2011) 563–575
- Lin, Q., *see* Chen, J. 20 (2011) 549–561
- Liu, W., *see* Ma, J. 20 (2011) 691–720

- Liu, W., *see* Zhou, L. **20** (2011) 577–588
- Liu, W.-Y. and Yue, K., Bayesian network with interval probability parameters **20** (2011) 911–939
- Liu, X., *see* Lu, C.-T. **20** (2011) 721–751
- Lu, C.-T., Santos, Jr., R. F. D., Liu, X. and Kou, Y., A graph-based approach to detect abnormal spatial points and regions **20** (2011) 721–751
- Luque, V., *see* Fernández, N. **20** (2011) 847–886
- Ma, H., Tang, Y. and Wu, L., Incremental mining of processes with loops **20** (2011) 221–235
- Ma, J., Liu, W., Dubois, D. and Prade, H., Bridging Jeffrey’s rule, AGM revision and Dempster conditioning in the theory of evidence **20** (2011) 691–720
- Makki, K., *see* Chen, K. **20** (2011) 753–781
- Mamouras, K., *see* Athanaselis, T. **20** (2011) 401–424
- Martínez-Carreras, M. A., Muñoz, J., Botía, A. and Gómez-Skarmeta, A. F., Creating context-aware collaborative working environments **20** (2011) 195–207
- Martínez-Otzeta, J. M., *see* Ansuategui, A. **20** (2011) 313–326
- McKay, R., *see* Kim, K. **20** (2011) 349–366
- Memon, Z. A., *see* Bosse, T. **20** (2011) 819–846
- Merchán-Pérez, Á., *see* Morales, J. **20** (2011) 239–252
- Minker, W., *see* Albalade, A. **20** (2011) 941–953
- Moghaddam, M. E., *see* Helli, B. **20** (2011) 489–509
- Mogoş, A.-H., *see* Urzică, A. **20** (2011) 1001–1020
- Molina, J. M., *see* Guerrero, J. L. **20** (2011) 367–399
- Morales, J., Alonso-Nanclares, L., Rodríguez, J.-R., Merchán-Pérez, Á., DeFelipe, J. and Rodríguez, Á., Fast interactive quantification of synapses in the cerebral cortex **20** (2011) 239–252
- Muñoz, A., *see* Martínez-Carreras, M. A. **20** (2011) 195–207
- Nalepa, G. J., Ligeza, A. and Kaczor, K., Formalization and modeling of rules using the XTT2 method **20** (2011) 1107–1125
- Ntalampiras, S., Potamitis, I. and Fakotakis, N., A practical system for acoustic surveillance of hazardous situations **20** (2011) 119–137
- Olaru, A. and Gratie, C., Agent-based, context-aware information sharing for ambient intelligence **20** (2011) 985–1000
- Oorborg, R., *see* Bosse, T. **20** (2011) 819–846
- Ortega, F. J., Troyano, J. A., Galán, F. J., Vallejo, C. G. and Cruz, F., STR: A graph-based tagging technique **20** (2011) 955–967
- Ouhbi, B., *see* Frikh, B. **20** (2011) 1157–1170
- Palade, V., *see* Batuwita, R. **20** (2011) 425–455
- Papagelis, A., *see* Kalles, D. **20** (2011) 29–52
- Papaioannou, I., *see* Roussaki, I. **20** (2011) 457–487
- Paschke, A. and Boley, H., Rule responder: Rule-based agents for the semantic-pragmatic web **20** (2011) 1043–1081
- Patten, T., Li, W., Bebis, G. and Hussain, M., Assessing insect growth using image analysis **20** (2011) 511–530
- Pavlin, G., *see* Penders, A. **20** (2011) 1083–1106

- Penders, A., Pavlin, G. and Kamermans, M., A collaborative approach to construction of large scale distributed reasoning systems 20 (2011) 1083–1106
- Pereira, C. M. M. and de Mello, R. F., Learning process behavior for fault detection 20 (2011) 969–980
- Petit, T. and Régin, J.-C., The ordered distribute constraint 20 (2011) 617–637
- Pham, Q. T., *see* Whitacre, J. M. 20 (2011) 783–817
- Pissinou, N., *see* Chen, K. 20 (2011) 753–781
- Pokahr, A., *see* Jander, K. 20 (2011) 1021–1041
- Potamitis, I., *see* Ntalampiras, S. 20 (2011) 119–137
- Prade, H., *see* Ma, J. 20 (2011) 691–720
- Régin, J.-C., *see* Petit, T. 20 (2011) 617–637
- Ricci, F., *see* Trabelsi, W. 20 (2011) 591–616
- Ríos, S. A. and Velásquez, J. D., Finding representative web pages based on a SOM and a reverse cluster analysis 20 (2011) 93–118
- Rodríguez, Á., *see* Morales, J. 20 (2011) 239–252
- Rodríguez, J.-R., *see* Morales, J. 20 (2011) 239–252
- Roussaki, I., Papaioannou, I. and Anagnostou, M., Using neural networks for early detection of unsuccessful negotiation threads 20 (2011) 457–487
- Sánchez-Anguix, V., Valero, S. and García-Fornes, A., A genetic approach for long term virtual organization distribution 20 (2011) 271–295
- Sánchez, L., *see* Fernández, N. 20 (2011) 847–886
- Santos, Jr., R. F. D., *see* Lu, C.-T. 20 (2011) 721–751
- Sarker, R. A., *see* Whitacre, J. M. 20 (2011) 783–817
- Schubert, M. and Felfernig, A., BFX: Diagnosing conflicting requirements in constraint-based recommendation 20 (2011) 297–312
- Shah, I., Direct algorithms for finding minimal unsatisfiable subsets in over-constrained CSPs 20 (2011) 53–91
- Shen, L., *see* Chen, J. 20 (2011) 549–561
- Slavek, N., *see* Jović, F. 20 (2011) 887–909
- Stamatiou, Y. C., *see* Kalles, D. 20 (2011) 29–52
- Suendermann, D., *see* Albalate, A. 20 (2011) 941–953
- Tang, Y., *see* Ma, H. 20 (2011) 221–235
- Tolok, V., *see* Davidovsky, M. 20 (2011) 1127–1156
- Trabelsi, W., Wilson, N., Bridge, D. and Ricci, F., Preference dominance reasoning for conversational recommender systems: A comparison between a comparative preferences and a sum of weights approach 20 (2011) 591–616
- Treur, J., *see* Bosse, T. 20 (2011) 819–846
- Troyano, J. A., *see* Ortega, F. J. 20 (2011) 955–967
- Tsao, J.-H., *see* Hou, W.-J. 20 (2011) 327–347
- Tubío, C., *see* Ansuategui, A. 20 (2011) 313–326
- Umair, M., *see* Bosse, T. 20 (2011) 819–846
- Urzică, A., Mogoş, A.-H. and Florea, A. M., A reputation based negotiation model for barter transactions between software agents 20 (2011) 1001–1020

- Valero, S., *see* Sánchez-Anguix, V. **20** (2011) 271–295
- Vallejo, C. G., *see* Ortega, F. J. **20** (2011) 955–967
- Varnek, A., *see* Hoonakker, F. **20** (2011) 253–270
- Velásquez, J. D., *see* Ríos, S. A. **20** (2011) 93–118
- Wack, K.-J., *see* Jander, K. **20** (2011) 1021–1041
- Wagner, A., *see* Hoonakker, F. **20** (2011) 253–270
- Wang, L., *see* Zhou, L. **20** (2011) 577–588
- Whitacre, J. M., Sarker, R. A. and Pham, Q. T., Effects of adaptive social networks on the robustness of evolutionary algorithms **20** (2011) 783–817
- Wilson, N., *see* Trabelsi, W. **20** (2011) 591–616
- Wu, J.-Y., Solving constrained global optimization via artificial immune system **20** (2011) 1–27
- Wu, L., *see* Ma, H. **20** (2011) 221–235
- Yue, K., *see* Liu, W.-Y. **20** (2011) 911–939
- Zhou, L., Liu, W. and Wang, L., Static strategic game approach for multiple attribute decision making problems without weight information **20** (2011) 577–588
- Zhou, Y., Grygorash, O. and Hain, T. F., Clustering with minimum spanning trees **20** (2011) 139–177